IE SETTINGS MONDAY, MARCH 24, 2014 10:57 AM

HERE ARE SOME SETTINGS TO CHECK AND MODIFY IN INTERNET EXPLORER. THESE SETTINGS EFFECT PERFORMANCE IN LOGOS.

VIEW > ZOOM , ANYTHING OVER 100 CAN CAUSE SCREEN PAGES TO LOCK OR MOVE SLOW. IF A USER NEEDS ZOOM HAVE THEM NAVIGATE TO THE PAGE THEY DESIRE, THEN USE ZOOM TO VIEW THEIR RESULTS.

| - | 12. | | | | a a t | 76.0 | C C | - | North Contraction of the second secon | 100 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | - |
|-----|-----|---|----|--------|-------|------|------|---|--|---|---|
| | | | 11 | - | | | | | | | |
| 110 | 22 | - | - | I II I | | | | | | | |
| | | | | | | | Į | | | | |
| | | | | | | | | | | | |

VIEW > ZOOM , ANYTHING OVER 100 CAN CAUSE SCREEN PAGES TO LOCK OR MOVE SLOW. IF A USER NEEDS ZOOM HAVE THEM NAVIGATE TO THE PAGE THEY DESIRE, THEN USE ZOOM TO VIEW THEIR RESULTS.

NEXT GO TO TOOLS > POPUP BLOCKER. MAKE SURE POPUP BLOCKER IS TURNED OFF (ALSO VERIFY THE USER DOES NOT HAVE ANY ADD ON TOOL BARS INSTALLED. THESE TYPICALLY COME WITH BUILT IN POP BLOCKERS)

AFTER VERIFYING POPUP BLOCKER IS OFF GO TO TOOLS > INTERNET OPTIONS > GENERAL TAB, BROWSING HISTORY, CLICK ON SETTINGS AND A POP WINDOW WILL APPEAR. MAKE SURE THE CHECK FOR NEWER VERSIONS OF STORIED PAGES IS SET TO EVERYTIME I VISIT THE WEBSITE RADIO BUTTON IS SELECTED. (IF THIS IS NOT SELECTED, SELECT IT CLICK OK. THEN ON THE GENERAL TAB > BROWSING HISTORY > CLICK ON DELETE AND DELETE TEMPORARY INTERNET FILES.)

| 1 | nternet O | ptions | | | _ | | · ? _ ? |
|---|----------------------|------------------------------|-----------------------|-------------|-----------------|----------------|-----------|
| ſ | General | Security | Privacy | Content | Connections | Programs | Advance |
| | Home p | age | | | | | |
| | | To cre | ate home | page tabs, | type each add | fress on its o | own line. |
| l | | http: | //google. | .com/ | | | ^ |
| l | | | | | | | ÷ |
| | | | Use cu | rrent | Use default | Use n | ew tab |
| | Startu; | p ——— | | | | | |
| l | S | tart with ta | abs from t | he last ses | sion | | |
| l | @ S | tart with h | ome page | | | | |
| l | Tabs - | | | | | | |
| | Char | nge how w | ebpages a | re displaye | d in tabs. | Ta | abs |
| l | Browsi | ng history | | | | | |
| | Delet | te tempora informatio | ry files, hi n. | story, coo | cies, saved pas | swords, and | d web |
| | 0 | elete brow | sing histor | ry on exit | | | |
| l | | | | | Delete | Set | tings |
| l | Appea | rance — | | | | | |
| l | | Colors | Land | uages | Fonts | Acce | ssibility |
| l | | | | | | | , |
| | | | | | | | |
| | | | | 0 | | ancel | Apply |
| ١ | Website D | ata Settin | gs | | | | 8 23 |
| | Tempora | ry Interne | t Files Hi | story Ca | ches and datab | ases | |
| | Internel for fast | t Explorer s er viewing l | stores cop later. | ies of webp | bages, images, | and media | |
| l | Check for | or newer v | ersions of | stored pag | jes: | | |
| l | 🖲 E | very time I | visit the v | vebpage | | | |
| | 0 E | very time I | start Inte | rnet Explo | rer | | |
| | © A | utomatical | У | | | | |
| | O N | ever | | | | | |
| | Disk spa (Reco | ce to use (mmended: | (8-1024MB 50-250MB | 0 | 25 | 50 ≑ | |

Current location:

THE NEXT SETTING TO CHECK AND ADJUST WILL BE ON THE SECOND TAB UNDER TOOLS, SECURITY. CLICK ON THE TRUSTED SITES CHECK MARK, THEN CLICK ON THE SITES BUTTON. IN THE WINDOW THAT POPS UP IF LOGOS IS NOT ALREADY IN THE WEBSITES BOX, ADD IT. ALSO MAKE SURE THE REQUIRE SERVER VERIFICATION (HTTPS:) FOR ALL SITES IN ZONE BOX IS NOT CHECKED.

| to stand to be | and a la la de |
|--|--|
| (Series Sector (Strate) Lie | tent Convectore Programe Advanced |
| | |
| Select a sove to view or change | activity interge |
| | |
| | |
| prieries storages | ates |
| Trusted sites | |
| / The same contains well | sites that you Sites |
| trust not to denage yr | or conjulier or |
| Tay farm reductes in d | te spre. |
| Search local for the one | |
| | |
| Castom | |
| Custon with ga | |
| - To charge the | settings, did Custon level. |
| - 10 448 PM 140 | mariae armp, do veran ere. |
| | |
| E Brable Protected Mode | (requires restarting brienet Explorer) |
| | Carter Inval Default Inval |
| | |
| | Reset al zones to default level |
| | |
| | |
| 6 | CR Canad Auto |
| - | |
| Trusted sites | |
| | |
| / Tourset add and rates | a substan from this some. All substants in |
| The same will use the set | vets accurity writings. |
| *1 | |
| | |
| Add this value to the same: | |
| Add the subsite to the some | - |
| Add the subsite to the street https://logocitel | |
| Add this sealable to the sorre: https://bage.ord induction | - |
| All the values is the area: Hitps://topentil motoles: Mgs.(13) 16 10 104 | AN Desce |
| Add this value is to the serve: Hilps://togoond mobiles: Map./173.16.100.124 Map./173.16.100.125 | |
| Add the values is the area: Highs:/hughedit Metalities Map.(173.36.176.104 Map.(173.36.176.104 Map.(173.36.176.105 | AN ANA |
| Add the values to the source interval and the source interval and the source interval and the source and the so | AM American A |
| Add the values to the source https://bage.ord/ Reductory Mpp./(12).56.105.104 Http:/(12).56.105.104 Http:/(12).56.105.104 Http:/(12).56.105.104 Http:/(12).56.105.104 | AN A Trees |
| Add the solution to the server Hilps://hoge-end maps/1733.56.170.528 Maps/1733.56.170.528 Maps/1733.56.170.528 Maps/1733.56.170.528 Maps/1733.56.170.528 Maps/1733.56.170.528 | All I |
| Add the inductive to the annex https://bugenetil inductions Mapp./128.pd 200.pd Mapp./128.pd 200.pd Mapp./128.p | AN a Correct a a a a a a a a a a a a a |
| Add the solution to the arrest https://togenetic technologi Mapp.(172, 54, 176, 129 Mapp.(172, 54, 176, 129) Mapp.(172, 129) Mapp | |
| Add the inductive to the annex Helper-Chargerood Undoctions https://12.pii.010.104 https://12.pii.020.104 https:// | All Income |

THE FINAL INTERNET EXPLORER SETTING TO CHECK ARE THE ACTIVE X CONTROLS. ON THE SECURITY TAB > SECURIY LEVEL FOR THIS ZONE CLICK ON THE CUSTOM LEVEL BUTTON . BEGIN WITH THE ACTIVEX CONTROLS AND PLUGS-INS. MAKE SURE THEY ARE SET TO ENABLE. GO AS FAR DOWN AS DOWLOADS, FONT DOWNLOAD

| General Se | ounity Privacy | Content | Connections | Programs | Advanced |
|--|--|--|--|----------------------------|-----------|
| | | | | | |
| Select a zor | he to view or cha | nge securi | ty settings. | - | |
| | | at Touch | vi siter Da | 0 | |
| anterne | t Local intran | et musu | rd sittes Ke | sites | |
| T | rusted sites | | | | |
| ll 🥑 🗉 | is zone contains | websites t | hat you | Site | 5 |
| yd Yd Yd | ust not to damag ur files. u have websites | in this zon | e. | | |
| Security | evel for this zone | | | | |
| | Custom Custom setti - To change - To use the | ings. the setting recommen | is, dick Custor ded settings, (| i level. Jick Default l | evel. |
| En | ble Protected M | ode (requir | es restarting I | nternet Exp | orer) |
| | | Cust | om level | Default | level |
| | | | Reset all zone | s to default | level |
| | | OK | - Ca | ancel | Apply |
| Out of Office / | esistant | | | | |
| | 10/01/01/11 | | | | |
| Customize Pa | age View | | | | |
| Customize Pa Security Setting | age View Is - Trusted Site | es Zone | | | × |
| Customize Pa Security Setting Settings | age View Is - Trusted Site | es Zone | | | × |
| Customize P: Security Setting Settings | is - Trusted Site | es Zone | | | × |
| Security Setting | s - Trusted Site | es Zone | with Authentics | de | * |
| Settings | age View s - Trusted Site High Safety in components n Disable | es Zone ot signed 1 | with Authentice | de | * |
| Settings | s - Trusted Site High Safety in components n Disable Enable | es Zone ot signed v | with Authentics | de | * |
| Security Settings | High Safety in components n Disable Prompt n components si | es Zone ot signed 1 | with Authentics | de | * |
| Settings | Is - Trusted Site High Safety in components n Disable Enable Prompt in components si Disable | es Zone ot signed v | with Authentics Authenticode | de | * |
| Settings | age View is - Trusted Site High Safety in components n Disable Enable Prompt in components si Disable Enable Enable Enable | es Zone ot signed v | with Authentico | de | * |
| Settings | s - Trusted Site High Safety n components n Disable Prompt n components si Disable Enable Enable Enable Prompt Disable | es Zone ot signed v | with Authentics Authenticode | de | * |
| Settings | Is - Trusted Site High Safety In components in Disable Enable Prompt Isable Prompt Sourcestante Prompt X controls and pi | es Zone ot signed v igned with | with Authentics | de | * |
| Settings | Is a Trusted Site High Safety In components n Disable Enable Prompt n components si Disable Enable Enable Prompt X controls and pi ow ActiveX Filter Disable | es Zone ot signed v igned with lug-ins ing | with Authentics | de | |
| Settings | Age View Age View Age View Solution For the second | es Zone ot signed v igned with igned with | with Authentico | de | |
| Settings | Is - Trusted Site High Safety In components n Disable Enable Prompt In components si Disable Enable Prompt X controls and pi low ActiveX Filter Disable Enable Enable Disable Enable Disable | es Zone ot signed v igned with ugens ing | with Authentico Authenticode eX controls to | ide run without | pror |
| Settings | Age View Age View Softmann Age View Softmann Age For the softmann Age For the softmann Age For the softmann Age For the softmann Age SoftmannnAge Softmann Age Softmann Age Softmann Age Softma | es Zone ot signed v igned with lug-ins ring | with Authentico Authenticode | ide run without | pron |
| Settings | Age View Age View Softman Age View Softman Age For the softman Age For the softman Age For the softman Age For the softman Age Softman Ag | es Zone ot signed v igned with lug-ins nused Activ | with Authentics Authenticode | ide run without | pron v |
| Settings | Is - Trusted Site I High Safety In components n Disable Enable Prompt In components si Disable Enable Prompt X controls and pi low ActiveX Filter Disable Enable Isable Enable Enable In components si Disable Enable In components si Disable Enable In components si Disable In components si Disable In components si Disable In components si Disable In components si In components si Disable In components si In components si In components si Disable In components si In components si In components si In components si Disable In components si In c | es Zone ot signed v igned with lug-ins ring nused Activ | with Authentico Authenticode reX controls to omputer | de run without | pron |
| Settings | Age View Age View Age View Softman Age Frusted Site High Safety In components in Disable Disable Prompt X controls and pi Age Controls and pi Softman Disable Enable | es Zone ot signed v igned with lug-ins nused Activ | with Authentico Authenticode MeX controls to computer | de run without | pron • |
| Customize Pri Security Settings | Is - Trusted Site High Safety In components in Disable Enable Prompt In components si Disable Enable Prompt X controls and pl ow ActiveX Filter Disable Enable In activeX Filter Disable Enable In activeX Filter Disable Enable In activeX Filter Disable Enable In activeX Filter In activeX Filter | es Zone ot signed v igned with lug-ins ing hused Activ | with Authentico Authenticode eX controls to omputer | ide run without | pron |